PERIODICAL
UNIVERSITY OF HAWA
LIBRARY

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. Cohn
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
M. Meselson
A. Novick
D. C. Phillips
R. L. Sinsheimer
G. S. Stent

VOLUME 17
May to June 1966

ACADEMIC PRESS
LONDON and NEW YORK

H301
J73

Copyright © 1966, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

678739
QH301
J73
V.17

CONTENTS OF VOLUME 17

5856-79

Number 1, May 1966

Kidson, C., Deoxyribonucleic Acid Secondary Structure in the Region of the Replication Point 1

Martinez, R. J., The Formation of Bacterial Flagella. II. The Relative Stability of Messenger RNA for Flagellin Biosynthesis 10

Reichlin, M., Bucci, E., Fronticelli, C., Wyman, J., Antonini, E., Ioppolo, C. and Rossi-Fanelli, A., The Properties and Interactions of the Isolated α- and β-Chains of Human Haemoglobin. IV. Immunological Studies involving Antibodies against the Isolated Chains 18

Antonini, E., Bucci, E., Fronticelli, C., Chiancone, E., Wyman, J. and Rossi-Fanelli, A., The Properties and Interactions of the Isolated α- and β-Chains of Human Haemoglobin. V. The Reaction of α- and β-Chains . 29

Painter, R. B., Jermany, D. A. and Rasmussen, R. E., A Method to Determine the Number of DNA Replicating Units in Cultured Mammalian Cells 47

Neville, D. M., Jr., and Davies, D. R., The Interaction of Acridine Dyes with DNA: An X-Ray Diffraction and Optical Investigation . . . 57

Fujimura, R. K., Effect of Colicine E2 on the Biosynthesis of Bacteriophage R17 75

Finger, I., Onorato, F., Heller, C. and Wilcox, H. B., III, Biosynthesis and Structure of Paramecium Hybrid Antigen 86

Falkow, S., Citarella, R. V., Wohlhieter, J. A. and Watanabe, T., The Molecular Nature of R-Factors 102

Penman, S., RNA Metabolism in the HeLa Cell Nucleus 117

Holtzman, E., Smith, I. and Penman, S., Electron Microscope Studies of Detergent-treated HeLa Cell Nuclei 131

Heisenberg, M., Formation of Defective Bacteriophage Particles by fr *Amber* Mutants 136

Billeter, M. A., Weissmann, C. and Warner, R. C., Replication of Viral Ribonucleic Acid. IX. Properties of Double-stranded RNA from *Escherichia coli* infected with Bacteriophage MS2 145

Szer, W. and Shugar, D., The Structure of Poly-5-methylcytidylic Acid and its Twin-stranded Complex with Poly-inosinic Acid 174

Stern, J. L., Barner, H. D. and Cohen, S. S., The Lethality of Streptomycin and the Stimulation of RNA Synthesis in the Absence of Protein Synthesis 188

TESSMAN, E. S., Mutants of Bacteriophage S13 Blocked in Infectious DNA Synthesis 218

SETLOW, R. B. and CARRIER, W. L., Pyrimidine Dimers in Ultraviolet-irradiated DNA's 237

ENGEL, J., KURTZ, J., KATCHALSKI, E. and BERGER, A., Polymers of Tripeptides as Collagen Models. II. Conformational Changes of Poly(L-prolyl-glycyl-L-prolyl) in Solution 255

Letters to the Editor—

NOMURA, M., WITTEN, C., MANTEI, N. and ECHOLS, H., Inhibition of Host Nucleic Acid Synthesis by Bacteriophage T4: Effect of Chloramphenicol at Various Multiplicities of Infection 273

CLICK, R. E. and HACKETT, D. P., Evidence that the Two Ribosomal RNA Species of Plant Tissue are Synthesized on Different Genetic Loci 279

BISHOP, J. O., Persistence of Native Ribosomal Subunits during Reticulocyte Maturation 285

TURNOCK, G., Effect of Infection of *Escherichia coli* with Bacteriophage T4 on the Synthesis of Ribosomes 289

LEDERBERG, S., 5-Methylcytosine in the Host-modified DNA of *Escherichia coli* and Phage λ 293

BAUTZ, E. K. F., Effect of a Nonsense Triplet on the Stability of Messenger RNA 298

COLVILL, A. J., VAN BRUGGEN, E. F. J. and FERNÁNDEZ-MORÁN, H., Physical Properties of a DNA-dependent RNA Polymerase from *Escherichia coli* 302

POLLI, E., GINELLI, E., BIANCHI, P. and CORNEO, G., Renaturation of Calf Thymus Satellite DNA 305

Errata 309

NUMBER 2, JUNE 1966

BYVOET, P., Metabolic Integrity of Deoxyribonucleohistones . . . 311

FUKUHARA, H. and SELS, A., Différence entre les Mécanismes de la Biosynthése induite des Iso-cytochromes *c*. I. Dépendance vis-à-vis des Acides Aminés Libres 319

FUKUHARA, H., Différence entre les Mécanismes de la Biosynthése induite des Iso-cytochromes *c*. II. Précurseur Macromoléculaire de l'Iso-2-cytochrome *c* 334

BALDWIN, R. L., BARRAND, P., FRITSCH, A., GOLDTHWAIT, D. A. and JACOB, F., Cohesive Sites on the Deoxyribonucleic Acids from Several Temperate Coliphages 343

SYPHERD, P. S., Site of Synthesis of Ribosomal Proteins 358

OFFORD, R. E., Electron Microscopic Observations on the Substructure of Tobacco Rattle Virus. 370

ROWND, R., NAKAYA, R. and NAKAMURA, A., Molecular Nature of the Drug-resistance Factors of the Enterobacteriaceae. 376

CLARK, B. F. C. and MARCKER, K. A., The Role of N-Formyl-methionyl-sRNA in Protein Biosynthesis 394

HARRIMAN, P. D. and STENT, G. S., Effect of Radiophosphorus Decay on Cistron Function in Bacteriophage T4. II. Stabilization to Inactivation during Phage Growth. 407

CAIRNS, J. and DAVERN, C. I., Effect of ^{32}P Decay upon DNA Synthesis by a Radiation-sensitive Strain of *Escherichia coli*. 418

REICH, P. R., FORGET, B. G., WEISSMAN, S. M. and ROSE, J. A., RNA of Low Molecular Weight in KB Cells infected with Adenovirus Type 2 . . 428

KURTZ, J. and HARRINGTON, W. F., Interaction of Poly-L-proline with Lithium Bromide 440

ROBINSON, J. P., Electron Microscope Studies of Antigen–Antibody Complexes 456

EDELMAN, M., EPSTEIN, H. T. and SCHIFF, J. A., Isolation and Characterization of DNA from the Mitochondrial Fraction of *Euglena* 463

BOARDMAN, N. K., FRANCKI, R. I. B. and WILDMAN, S. G., Protein Synthesis by Cell-free Extracts of Tobacco Leaves. III. Comparison of the Physical Properties and Protein Synthesizing Activities of 70 s Chloroplast and 80 s Cytoplasmic Ribosomes 470

APPENDIX: MILLER, A., KARLSSON, U. and BOARDMAN, N. K., Electron Microscopy of Ribosomes isolated from Tobacco Leaves 487

RUECKERT, R. R. and DUESBERG, P. H., Non-identical Peptide Chains in Mouse Encephalitis Virus 490

CODDINGTON, A., FINCHAM, J. R. S. and SUNDARAM, T. K., Multiple Active Varieties of *Neurospora* Glutamate Dehydrogenase formed by Hybridization between Two Inactive Mutant Proteins *in vivo* and *in vitro* 503

THEORELL, H., CHANCE, B. and YONETANI, T., Effect of Crystallization upon the Reactivity of Horse Liver Alcohol Dehydrogenase 513

CHANCE, B., RAVILLY, A. and RUMEN, N., Reaction Kinetics of a Crystalline Hemoprotein: An Effect of Crystal Structure on Reactivity of Ferrimyoglobin 525

APPENDIX I: FORSTER, R. E., Simultaneous Diffusion and Reaction of Azide in a Cylindrical Crystal of Ferrimyoglobin 535

Letters to the Editor—

Tamaoki, T. and Miyazawa, F., Dissociation of Ribosomes at High Temperatures 537

Sarkar, N. and Comb, D. G., The Predominant Site of *in vitro* Uracil Methylation of Methyl-deficient Transfer RNA 541

Poljak, R. J. and Dintzis, H. M., Papain Fragmentation of Rabbit γG-Globulin: A Crystallographic Study 546

Nofal, S. and Srinivasan, P. R., *In vivo* Methylation of Methyl-deficient Ribosomal Ribonucleic Acid Particles 548

Erratum 552

Announcement 553

Index to Volume 17

Acridine dyes interacting with DNA: an X-ray diffraction and optical investigation, 57
Adenovirus type 2-infected KB cells containing an RNA of low molecular weight, 428
Alcohol dehydrogenase, horse liver, effect of crystallization upon the reactivity, 513
Amber mutants of bacteriophage fr forming defective bacteriophage particles, 136
Amino acids, free, their effect on the biosynthesis of the iso-cytochromes *c*, 319
Antibodies against the isolated α- and β-chains of human haemoglobin, immunological studies, 18
Antigen–antibody complexes, electron microscope studies, 456
Antigen, hybrid, of paramecium, biosynthesis and structure, 86
Antonini, E., Bucci, E., Fronticelli, C., Chiancone, E., Wyman, J. & Rossi-Fanelli, A., The properties and interactions of the isolated α- and β-chains of human haemoglobin. V. The reaction of α- and β-chains, 29
— (see Reichlin, M.), 18
Azide, simultaneous diffusion and reaction in a cylindrical crystal of ferrimyoglobin, 535

Bacterial flagella formation. II. The relative stability of messenger RNA for flagellin biosynthesis, 10
Bacteriophage fr *amber* mutants forming defective bacteriophage particles, 136
— λ, 5-methylcytosine in the host-modified DNA, 293
— MS2-infected *Escherichia coli*, replication and properties of the double-stranded RNA, 145
— R17, effect of colicine E2 on the biosynthesis, 75
— S13 mutants blocked in infectious DNA synthesis, 218
— T4, effect of radiophosphorus decay on cistron function. II. Stabilization to inactivation during phage growth, 407
— T4-infected *Escherichia coli*, the effect on the synthesis of ribosomes, 289
— T4 inhibiting host nucleic acid synthesis: effect of chloramphenicol at various multiplicities of infection, 273
Baldwin, R. L., Barrand, P., Fritsch, A., Goldthwait, D. A. & Jacob, F., Cohesive sites on the deoxyribonucleic acids from several temperate coliphages, 343
Barner, H. D. (see Stern, J. L.), 188
Barrand, P. (see Baldwin, R. L.), 343
Bautz, E. K. F., Effect of a nonsense triplet on the stability of messenger RNA, 298
Berger, A. (see Engel, J.), 255
Bianchi, P. (see Polli, E.), 305
Billeter, M. A., Weissmann, C. & Warner, R. C., Replication of viral ribonucleic acid. IX. Properties of double-stranded RNA from *Escherichia coli* infected with bacteriophage MS2, 145
Bishop, J. O., Persistence of native ribosomal subunits during reticulocyte maturation, 285
Boardman, N. K., Francki, R. I. B. & Wildman, S. G., Protein synthesis by cell-free extracts of tobacco leaves. III. Comparison of the physical properties and protein synthesizing activities of 70 s chloroplast and 80 s cytoplasmic ribosomes, 470
— (see Miller, A.), 487
van Bruggen, E. F. J. (see Colvill, A. J.), 302
Bucci, E. (see Antonini, E.), 29
— (see Reichlin, M.), 18
Byvoet, P., Metabolic integrity of deoxyribonucleohistones, 311
Cairns, J. & Davern, C. I., Effect of ^{32}P decay upon DNA synthesis by a radiation-sensitive strain of *Escherichia coli*, 418
Carrier, W. L. (see Setlow, R. B.), 237
Chance, B., Ravilly, A. & Rumen, N., Reaction kinetics of a crystalline hemoprotein: an effect of crystal structure on reactivity of ferrimyoglobin, 525
Chance, B. (see Theorell, H.), 513
Chiancone, E. (see Antonini, E.), 29
Chloramphenicol, its effect on the inhibition of host nucleic acid synthesis by bacteriophage T4, 273

Chloroplast ribosomes, 70 s, comparison of the physical properties and protein synthesizing activities with 80 s cytoplasmic ribosomes, 470
Citarella, R. V. (see Falkow, S.), 102
Clark, B. F. C. & Marcker, K. A., The role of N-formyl-methionyl-sRNA in protein biosynthesis, 394
Click, R. E. & Hackett, D. P., Evidence that the two ribosomal RNA species of plant tissue are synthesized on different genetic loci, 279
Coddington, A., Fincham, J. R. S. & Sundaram, T. K., Multiple active varieties of *Neurospora* glutamate dehydrogenase formed by hybridization between two inactive mutant proteins *in vivo* and *in vitro*, 503
Cohen, S. S. (see Stern, J. L.), 188
Colicine E2, its effect on the biosynthesis of bacteriophage R17, 75
Coliphages, temperate, cohesive sites on the DNA's, 343
Collagen models, polymers of tripeptides. II. Conformational changes of poly(L-prolyl-glycyl-L-prolyl) in solution, 255
Colvill, A. J., van Bruggen, E. F. J. & Fernández-Morán, H., Physical properties of DNA-dependent RNA polymerase from *Escherichia coli*, 302
Comb, D. G. (see Sarkar, N.), 541
Corneo, G. (see Polli, E.), 305

Davern, C. I. (see Cairns, J.), 418
Davies, D. R. (see Neville, D. M., Jr.), 57
Dehydrogenase, horse liver alcohol, effect of crystallization upon the reactivity, 513
—, *Neurospora crassa* glutamate, multiple active varieties formed by hybridization between two inactive mutant proteins *in vivo* and *in vitro*, 503
Deoxyribonucleic acid-dependent RNA polymerase from *Escherichia coli*, physical properties, 302
— from the mitochondrial fraction of *Euglena*, isolation and characterization, 463
—, host-modified, of *Escherichia coli* and phage λ, the 5-methylcytosine, 293
—, infectious, mutants of bacteriophage S13 blocked in synthesis, 218
— interacting with acridine dyes: an X-ray diffraction and optical investigation, 57
— replicating units in cultured mammalian cells, 47
—, satellite, of calf thymus, renaturation, 305
— secondary structure in the region of the replication point, 1
—, the effect of ^{32}P decay upon synthesis by a radiation-sensitive strain of *Escherichia coli*, 418
DNA's from several temperate coliphages tested for cohesive sites, 343
—, ultraviolet-irradiated, pyrimidine dimers, 237
Deoxyribonucleohistones, metabolic integrity, 311
Dintzis, H. M. (see Poljak, R. J.), 546
Drug-resistance factors of the Enterobacteriaceae, molecular nature, 376
—, the molecular nature, 102
Duesberg, P. H. (see Rueckert, R. R.), 490

Echols, H. (see Nomura, M.), 273
Edelman, M., Epstein, H. T. & Schiff, J. A., Isolation and characterization of DNA from the mitochondrial fraction of *Euglena*, 463
Electron microscope studies of antigen–antibody complexes, 456
— microscopic observations on the substructure of tobacco rattle virus, 370
— — studies of detergent-treated HeLa cell nuclei, 131
— microscopy of ribosomes isolated from tobacco leaves, 487
Engel, J., Kurtz, J., Katchalski, E. & Berger, A., Polymers of tripeptides as collagen models. II. Conformational changes of poly(L-prolyl-glycyl-L-prolyl) in solution, 255
Enterobacteriaceae, molecular nature of the drug-resistance factors, 376
Epstein, H. T. (see Edelman, M.), 463
Escherichia coli and phage λ, 5-methylcytosine in the host-modified DNA, 293
— DNA-dependent RNA polymerase, physical properties, 302
—, effect of ^{32}P decay upon DNA synthesis by a radiation-sensitive strain, 418
— infected with bacteriophage MS2, replication and properties of the double-stranded ribonucleic acid, 145
— — — T4, its effect on the synthesis of ribosomes, 289
Euglena, isolation and characterization of DNA from the mitochondrial fraction, 463

Falkow, S., Citarella, R. V., Wohlhieter, J. A. & Watanabe, T., The molecular nature of R-factors, 102
Fernández-Morán, H. (see Colvill, A. J.), 302
Ferrimyoglobin, an effect of crystal structure upon the reactivity, 525
—, simultaneous diffusion and reaction of azide in a cylindrical crystal, 535
Fincham, J. R. S. (see Coddington, A.), 503
Finger, I., Onorato, F., Heller, C. & Wilcox, H. B., III, Biosynthesis and structure of paramecium hybrid antigen, 86
Flagella from bacteria, the formation. II. The relative stability of mRNA for flagellin biosynthesis, 10
Forget, B. G. (see Reich, P. R.), 428
N-Formyl-methionyl-sRNA, its role in protein biosynthesis, 394
Forster, R. E., Simultaneous diffusion and reaction of azide in a cylindrical crystal of ferrimyoglobin, 535
fr (see bacteriophage), 136
Francki, R. I. B. (see Boardman, N. K.), 470
Fritsch, A. (see Baldwin, R. L.), 343
Fronticelli, C. (see Antonini, E.), 29
— (see Reichlin, M.), 18
Fujimura, R. K., Effect of colicine E2 on the biosynthesis of bacteriophage R17, 75
Fukuhara, H., Différence entre les mécanismes de la biosynthése induite des iso-cytochromes *c*. II. Précurseur macromoléculaire de l'iso-2-cytochrome *c*, 334
— & Śels, A., Différence entre les mécanismes de la biosynthése induite des iso-cytochromes *c*. I. Dépendance vis-à-vis des acides aminés libres, 319

Genetic loci, different for the synthesis of the two ribosomal RNA species from plant tissue, 279
Ginelli, E. (see Polli, E.), 305
γG-Globulin, rabbit, a crystallographic study of fragmentation by papain, 546
Glutamate dehydrogenase, *Neurospora crassa*, multiple active varieties formed by hybridization between two inactive mutant proteins *in vivo* and *in vitro*, 503
Goldthwait, D. A. (see Baldwin, R. L.), 343

Hackett, D. P. (see Click, R. E.), 279
Haemoglobin, human, the properties and interactions of the isolated α- and β-chains. IV. Immunological studies involving antibodies against the isolated chains, 18
— — — — — — — — . V. The reaction of α- and β-chains, 29
Haemoprotein, crystalline, reaction kinetics: an effect of crystal structure on reactivity of ferrimyoglobin, 525
Harriman, P. D. & Stent, G. S., Effect of radiophosphorus decay on cistron function in bacteriophage T4. II. Stabilization to inactivation during phage growth, 407
Harrington, W. F. (see Kurtz, J.), 440
Heisenberg, M., Formation of defective bacteriophage particles by fr *amber* mutants, 136
HeLa cell nuclei treated with detergents, electron microscopic studies, 131
— — nucleus, RNA metabolism, 117
Heller, C. (see Finger, I.), 86
Hemoprotein (see haemoprotein), 525
Holtzman, E., Smith, I. & Penman, S., Electron microscopic studies of detergent-treated HeLa cell nuclei, 131

Ioppolo, C. (see Reichlin, M.), 18
Iso-cytochromes *c*, difference between the mechanisms of the biosynthesis. I. Dependence with respect to free amino acids, 319
— — — — — . II. Macromolecular precursor of iso-2-cytochrome *c*, 334

Jacob, F. (see Baldwin, R. L.), 343
Jermany, D. A. (see Painter, R. B.), 47

Karlsson, U. (see Miller, A.), 487
Katchalski, E. (see Engel, J.), 255
KB cells infected with adenovirus type 2, containing an RNA of low molecular weight, 428
Kidson, C., Deoxyribonucleic acid secondary structure in the region of the replication point, 1
Kurtz, J. & Harrington, W. F., Interaction of poly-L-proline with lithium bromide, 440
— (see Engel, J.), 255

λ (see bacteriophage), 293
Lederberg, S., 5-Methylcytosine in the host-modified DNA of *Escherichia coli* and phage λ, 293
Lithium bromide, its interaction with poly-L-proline, 440

Mantei, N. (see Nomura, M.), 273
Marcker, K. A. (see Clark, B. F. C.), 394
Martinez, R. J., The formation of bacterial flagella. II. The relative stability of messenger RNA for flagellin biosynthesis, 10
Messenger RNA, effect of a nonsense triplet on the stability, 298
— —, from bacterial flagella, its relative stability for flagellin biosynthesis, 10
5-Methylcytosine in the host-modified DNA of *Escherichia coli* and phage λ, 293
Methyl-deficient transfer RNA, the predominant site of *in vitro* uracil methylation, 541
— ribosomal ribonucleic acid particles, *in vivo* methylation, 548
Miller, A., Karlsson, U. & Boardman, S. G., Electron microscopy of ribosomes isolated from tobacco leaves, 487
Mitochondrial fraction DNA of *Euglena*, isolation and characterization, 463
Miyazawa, F. (see Tamaoki, T.), 537
Mouse encephalitis virus, non-identical peptide chains, 490
MS2 (see bacteriophage), 145

Nakamura, A. (see Rownd, R.), 376
Nakaya, R. (see Rownd, R.), 376
Neurospora crassa glutamate dehydrogenase, multiple active varieties formed by hybridization between two inactive mutant proteins *in vivo* and *in vitro*, 503
Neville, D. M., Jr. & Davies, D. R., The interaction of acridine dyes with DNA: an X-ray diffraction and optical investigation, 57
Nofal, S. & Srinivasan, P. R., *In vivo* methylation of methyl-deficient ribosomal ribonucleic acid particles, 548
Nomura, M., Witten, C., Mantei, N. & Echols, H., Inhibition of host nucleic acid synthesis by bacteriophage T4: effect of chloramphenicol at various multiplicities of infection, 273
Nonsense triplet, its effect on the stability of messenger RNA, 298
Nuclei of HeLa cells treated with detergents, electron microscopic studies, 131
Nucleic acid, host, inhibition of synthesis by bacteriophage T4: effect of chloramphenicol at various multiplicities of infection, 273
Nucleohistones, metabolic integrity, 311
Nucleus of the HeLa cell, RNA metabolism, 117

Offord, R. E., Electron microscopic observations on the substructure of tobacco rattle virus, 370
Onorato, F. (see Finger, I.), 86
Optical and X-ray diffraction investigation of the interaction of acridine dyes with DNA, 57

^{32}P decay and ciston function in bacteriophage T4, 407
—, its effect upon DNA synthesis by a radiation-sensitive strain of *Escherichia coli*, 418
Painter, R. B., Jermany, D. A. & Rasmussen, R. E., A method to determine the number of DNA replicating units in cultured mammalian cells, 47
Papain fragmentation of rabbit λG-globulin: a crystallographic study, 546
Paramecium hybrid antigen, biosynthesis and structure, 86
Penman, S., RNA metabolism in the HeLa cell nucleus, 117
— (see Holtzman, E.), 131
Peptide chains, non-identical, in mouse encephalitis virus, 490
Poljak, R. J. & Dintzis, H. M., Papain fragmentation of rabbit λG-globulin: a crystallographic study, 546
Polli, E., Ginelli, E., Bianchi, P. & Corneo, G., Renaturation of calf thymus satellite DNA, 305

Poly-inosinic acid, its complex with poly-5-methylcytidylic acid, 174
Polymerase, DNA-dependent RNA, from *Escherichia coli*, physical properties, 302
Polymers of tripeptides as collagen models. II. Conformational changes of poly(L-prolyl-glycyl-L-prolyl) in solution, 255
Poly-5-methylcytidylic acid, the structure, and its twin-stranded complex with poly-inosinic acid, 174
Poly-L-proline, its interaction with lithium bromide, 440
Poly(L-prolyl-glycyl-L-prolyl) as a collagen model, 255
Protein synthesis by cell free extracts of tobacco leaves. III. Comparison of the physical properties and protein synthesizing activities of 70 s chloroplast and 80 s cytoplasmic ribosomes, 470
— —, the role of N-formyl-methionyl-sRNA, 394
Pyrimidine dimers in ultraviolet-irradiated DNA's, 237

R17 (see bacteriophage), 75
R-factors of the Enterobacteriaceae, molecular nature, 376
—, the molecular nature, 102
Radiation-sensitive strain of *Escherichia coli*, effect of ^{32}P on its DNA synthesis, 418
Rasmussen, R. E. (see Painter, R. B.), 47
Ravilly, A. (see Chance, B.), 525
Reich, P. R., Forget, B. G., Weissman, S. M. & Rose, J. A., RNA of low molecular weight in KB cells infected with adenovirus type 2, 428
Reichlin, M., Bucci, E., Fronticelli, C., Wyman, J., Antonini, E., Ioppolo, C. & Rossi-Fanelli, A., The properties and interactions of the isolated α- and β-chains of human haemoglobin. IV. Immunological studies involving antibodies against the isolated chains, 18
Replicating units, of DNA, a method to determine the number in mammalian cell cultures, 47
Replication of viral RNA. IX. Properties of double-stranded RNA from *Escherichia coli* infected with bacteriophage MS2, 145
Reticulocytes, persistence of native ribosomal subunits during maturation, 285
Ribonucleic acid, messenger, effect of a nonsense triplet on the stability, 298
— —, from bacterial flagella, its relative stability for flagellin biosynthesis, 10
— metabolism in the HeLa cell nucleus, 117
— methyl-deficient ribosomal particles, *in vivo* methylation, 548
— of low molecular weights in KB cells infected with adenovirus type 2, 428
— polymerase, DNA-dependent, from *Escherichia coli*, physical properties, 302
—, ribosomal, two species from plant tissue are synthesized on different genetic loci, 279
— synthesis stimulated in the absence of protein synthesis and its correlation with the lethality of streptomycin, 188
—, transfer, methyl-deficient, the predominant site of *in vitro* uracil methylation, 541
—, viral, replication. IX. Properties of double-stranded ribonucleic acid from *Escherichia coli* infected with bacteriophage MS2, 145
sRNA, N-formyl-methionylated, its role in protein synthesis, 394
Ribosomal proteins, site of synthesis, 358
— ribonucleic acid particles, methyl-deficient *in vivo* methylation, 548
— RNA, two species from plant tissue are synthesized on different genetic loci, 279
— subunits, native persistance during reticulocyte maturation, 285
Ribosome synthesis effected by the infection of *Escherichia coli* with bacteriophage T4, 289
Ribosomes, 70 s and 80 s cytoplasmic, comparison of the physical properties and protein synthesizing activities, 470
Ribosomes, dissociation at high temperatures, 537
—, isolated from tobacco leaves, electron microscopy, 487
Robinson, J. P., Electron microscope studies of antigen–antibody complexes, 456
Rose, J. A. (see Reich, P. R.), 428
Rossi-Fanelli, A. (see Antonini, E.), 29
— (see Reichlin, M.), 18
Rownd, R., Nakaya, R. & Nakamura, A., Molecular nature of the drug-resistance factors of the Enterobacteriaceae, 376
Rueckert, R. R. & Duesberg, P. H., Non-identical peptide chains in mouse encephalitis virus, 490
Rumen, N. (see Chance, B.), 525

S13 (see bacteriophage), 218
Sarkar, N. & Comb, D. G., The predominant site of *in vitro* uracil methylation of methyl-deficient transfer RNA, 541

Schiff, J. A. (see Edelman, M.), 463
Sels, A. (see Fukuhara, H.), 319
Setlow, R. B. & Carrier, W. L., Pyrimidine dimers in ultraviolet-irradiated DNA's, 237
Shugar, D. (see Szer, W.), 174
Smith, I. (see Holtzman, E.), 131
Srinivasan, P. R. (see Nofal, S.), 548
Stent, G. S. (see Harriman, P. D.), 407
Stern, J. L., Barner, H. D. & Cohen, S. S., The lethality of streptomycin and the stimulation of RNA synthesis in the absence of protein synthesis, 188
Streptomycin, its lethality, and the stimulation of RNA synthesis in the absence of protein synthesis, 188
Sundaram, T. K. (see Coddington, A.), 503
Sypherd, P. S., Site of synthesis of ribosomal proteins, 358
Szer, W. & Shugar, D., The structure of poly-5-methylcytidylic acid and its twin-stranded complex with poly-inosinic acid, 174

T4 (see bacteriophage), 273, 289, 407
Tamaoki, T. & Miyazawa, F., Dissociation of ribosomes at high temperatures, 537
Tessman, E. S., Mutants of bacteriophage S13 blocked in infectious DNA synthesis, 218
Theorell, H., Chance, B. & Yonetani, T., Effect of crystallization upon the reactivity of horse liver alcohol dehydrogenase, 513
Tobacco leaves, electron microscopy of ribosomes isolated, 487
— —, protein synthesis by cell-free extracts. III. Comparison of the physical properties and protein synthesizing activities of 70 s chloroplast and 80 s cytoplasmic ribosomes, 470
— rattle virus, electron microscopic observations on the substructure, 370
Transfer RNA, methyl-deficient, the predominant site of *in vitro* uracil methylation, 541
Tripeptide polymers as collagen models. II. Conformational changes of poly(L-prolyl-glycyl-L-prolyl) in solution, 255
Turnock, G., Effect of infection of *Escherichia coli* with bacteriophage T4 on the synthesis of ribosomes, 289

Ultraviolet-induced pyrimidine dimers in DNA, 237
Uracil methylation, *in vitro*, of methyl-deficient transfer RNA, the predominant site, 541

Virus, adeno, type 2-infected KB cells containing RNA of low molecular weight, 428
—, mouse encephalitis, non-identical peptide chains, 490
Viral ribonucleic acid replication. IX. Properties of double-stranded RNA from *Escherichia coli* infected with bacteriophage MS2, 145
Virus, tobacco rattle, electron microscopic observations on the substructure, 370

Warner, R. C. (see Billeter, M. A.), 145
Watanabe, T. (see Falkow, S.), 102
Weissman, S. M. (see Reich, P. R.), 428
Weissmann, C. (see Billeter, M. A.), 145
Wilcox, H. B., III. (see Finger, I.), 86
Wildman, S. G. (see Boardman, N. K.), 470
Witten, C. (see Nomura, M.), 273
Wohlhieter, J. A. (see Falkow, S.), 102
Wyman, J. (see Antonini, E.), 29
— (see Reichlin, M.), 18

X-ray diffraction and optical investigation of the interaction of acridine dyes with DNA, 57

Yonetani, T. (see Theorell, H.), 513